Safety Data Sheet according to the Hazardous Products Regulation (WHMIS 2015) Issue date: 08/17/2021 Revision date: 12/21/2022 Version: 3.0 SDS No: 11386-0003



SECTION 1: Identification	
1.1. Product identifier	
Product form Product name	: Mixture : GLYKOSOL N
1.2. Recommended use and restriction	is on use
Recommended use	: Various
1.3. Supplier	
pro Kühlsole GmbH 37 Am Langen Graben Düren, 52353 Germany T +49 2421 59196-0 - F +49 2421 59196-10 E-mail address of competent person responsib	le for the SDS: sds@gbk-ingelheim.de
1.4. Emergency telephone number	
Emergency number	: INTERNATIONAL: +49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)
SECTION 2: Hazard identification 2.1. Classification of the substance or Classification (GHS CA)	
Acute toxicity (oral), Category 4 Specific target organ toxicity – Repeated expos	H302 Harmful if swallowed. sure, Category 2 H373 May cause damage to organs through prolonged or repeated exposure.
Full text of H-statements: see section 16	
2.2. GHS Label elements, including pre	ecautionary statements
GHS CA labelling	
Hazard pictograms (GHS CA)	
Signal word (GHS CA)	: Warning
Hazard statements (GHS CA)	: H302 - Harmful if swallowed. H373 - May cause damage to organs through prolonged or repeated exposure.
Precautionary statements (GHS CA)	 P260 - Do not breathe spray, vapours, mist. P270 - Do not eat, drink or smoke when using this product. P301+P312 - IF SWALLOWED: Call a doctor, a POISON CENTER if you feel unwell. P314 - Get medical advice/attention if you feel unwell. P330 - Rinse mouth. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA)

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%	Classification (GHS CA)
ethylene glycol	-	CAS-No.: 107-21-1	≥ 95	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion First-aid measures general	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Rinse mouth. Call a poison center or a doctor if you feel unwell. Call a poison center or a doctor if you feel unwell. 		
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after ingestion Chronic symptoms	Harmful if swallowed.May cause damage to organs through prolonged or repeated exposure.		
4.3. Immediate medical attention and specia	Il treatment, if necessary		
Treatment	: Treat symptomatically.		
SECTION 5: Fire-fighting measures			
5.1. Suitable extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Unsuitable extinguishing media			
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.		
5.3. Specific hazards arising from the hazardous product			
Explosion hazard Hazardous decomposition products in case of fire	Product is not explosive.Toxic fumes may be released.		

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

5.4. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protect	tive equipment and emergency procedures		
General measures	: Avoid contact with eyes, skin or mucous membrane. Evacuate the danger area. Evacuate personnel to a safe area.		
6.2. Methods and materials for co	ontainment and cleaning up		
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.		
6.3. Reference to other sections			

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe spray, mist.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Additional hazards when processed	: Avoid contact with eyes, skin or mucous membrane.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions Information on mixed storage	Store in a well-ventilated place. Keep cool. Keep container tightly closed.Keep away from food, drink and animal feeding stuffs.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethylene glycol (107-21-1)		
Canada (Alberta) - Occupational Exposure Limits		
Local name	Ethylene glycol	
OEL C	100 mg/m ³	
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.	
Regulatory reference	Alberta Regulation 191/2021	
Canada (British Columbia) - Occupational Exposure Limits		
Local name	Ethylene glycol	
OEL TWA	10 mg/m³ Total, aerosol only	
OEL STEL	20 mg/m³ Total, aerosol only	

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

ethylene glycol (107-21-1)			
OEL C	100 mg/m ³ Total, aerosol only		
OEL C [ppm]	50 ppm Vapour		
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)		
Canada (Manitoba) - Occupational Exposure Limits			
Local name	Ethylene glycol		
OEL TWA [ppm]	25 ppm (V - Vapor fraction)		
OEL STEL	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)		
OEL STEL [ppm]	50 ppm (V - Vapor fraction)		
OEL C	100 mg/m³ (aerosol only)		
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)		
Regulatory reference	ACGIH 2022		
Canada (New Brunswick) - Occupational Exposure	Limits		
OEL C	100 mg/m³ (aerosol)		
Canada (Newfoundland and Labrador) - Occupation	nal Exposure Limits		
Local name	Ethylene glycol		
OEL TWA [ppm]	25 ppm (V - Vapor fraction)		
OEL STEL	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)		
OEL STEL [ppm]	50 ppm (V - Vapor fraction)		
OEL C	100 mg/m ³ (aerosol only)		
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)		
Regulatory reference	ACGIH 2022		
Canada (Nova Scotia) - Occupational Exposure Limits			
Local name	Ethylene glycol		
OEL TWA [ppm]	25 ppm (V - Vapor fraction)		
OEL STEL	10 mg/m ³ (I - Inhalable particulate matter, H - Aerosol only)		
OEL STEL [ppm]	50 ppm (V - Vapor fraction)		
OEL C	100 mg/m³ (aerosol only)		
Notations and remarks	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)		
Regulatory reference	ACGIH 2022		
Canada (Northwest Territories) - Occupational Expo	osure Limits		
Local name	Ethylene glycol, (as an aerosol)		
OEL C	100 mg/m ³		
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)		
8.2. Appropriate engineering controls			
Appropriate engineering controls :	Ensure good ventilation of the work station.		

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

8.3. Individual protection measures/Personal protective equipment

Hand protection:				
Chemically resistant protective gloves				
Туре	Material	Permeation	Thickness (mm)	Penetration
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,35	
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	0,5	

Eye protection:

Protective goggles (EN 166). Eyewash bottle with clean water (EN 15154)

Long sleeved protective clothing (DIN EN ISO 6530)

Respiratory protection:

Respiratory protection.			
Breathing apparatus in the event of aerosol or mist formation			
Device	Filter type	Condition	
Aerosol mask	A2-P2	Aerosols, Mist formation	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: No data available
Colour	: Yellow Clear
Odour	: odourless
Odour threshold	: No data available
pH	: 8-9 (20 °C)
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: ≈-30 °C
Boiling point	: 190 °C
Flash point	: 116 °C
Auto-ignition temperature	: 410 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 0.1 hPa (20 °C)
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.125 g/cm ³ (20 °C)
Solubility	: Water: completely miscible
Log Pow	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Product is not explosive.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

Oxidising properties Explosive limits	 Non oxidizing. Lower explosive limit (LEL): 3.2 vol % Upper explosive limit (UEL): 15.3 vol % 	
9.2. Other information		
VOC content Additional information	: ≤ 95 % (1068,8 g/l) : Solvent content 95,00 %	

SECTION 10: Stability and reactivity	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: None under recommended storage and handling conditions (see section 7).
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hardening time:	: No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Harmful if swallowed. Not classified Not classified
GLYKOSOL N	
ATE CA (oral)	526.316 mg/kg bodyweight
ethylene glycol (107-21-1)	
LD50 oral	6140 mg/kg
LD50 dermal	9530 mg/kg
ATE CA (oral)	500 mg/kg bodyweight
Skin corrosion/irritation :	Not classified pH: 8 – 9 (20 °C)
Serious eye damage/irritation :	Not classified pH: 8 – 9 (20 °C)
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	May cause damage to organs through prolonged or repeated exposure.
ethylene glycol (107-21-1)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard :	Not classified
ethylene glycol (107-21-1)	
Animal studies and expert judgment for classification	False
Symptoms/effects after ingestion :	Harmful if swallowed.

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

Chronic symptoms

: May cause damage to organs through prolonged or repeated exposure.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Ozone	: Not classified

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	

SECTION 14: Transport information

In accordance with TDG / DOT / IMDG / IATA				
TDG	DOT	IMDG	ΙΑΤΑ	
14.1. UN number	14.1. UN number			
No dangerous goods as defined by the	e transport regulations			
14.2. Proper Shipping Name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available				

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

14.6. Special precautions for user

TDG

No data available

DOT

No data available

IMDG

No data available

ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: Other information	
Issue date Revision date	: 08-17-2021 : 12-21-2022
Other information	: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H-statements:	
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

Abbreviations a	and acronyms:
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
CAS	CAS (Chemical Abstracts Service) number
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) SDS No: 11386-0003

Abbreviations a	ind acronyms:
ADG	Transport of Australian Dangerous Goods

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.